



WLC Facilities Services Pte Ltd
 45 Ubi Road 1 #05-01 Singapore 408696 |
 Co Reg No: 201524486H |
 GST Reg No: 201524486H

Doc: Dormitory
 Date Rec'd: 25 MAR 2020
 Checked: Production Inc.
 Certified by:
 Account:

Tax Invoice

Account No.: T281503-2
 BRILLIANT GENERAL BUILDING CONSTRUCTION PTE LTD
 71 Toh Guan Road East #04-02/03 TCH Tech Centre
 SINGAPORE 608598

Invoice No : TG20030062
 Invoice Date : 20/03/2020
 Payment Due : 07/04/2020
 Payment mode : CHQ
 Deposit : \$100

SUMMARY OF CHARGES for 19 Feb 2020 to 18 Mar 2020	Amount (SGD)
Balance B/F from Previous Bill	\$ 103.23
Receipt during month - Thank you	\$ (103.23)
Outstanding Balance	\$ -
Total Current Charges due on 07/04/2020	\$ 80.14
Total Amount Payable	\$ 80.14

Payment received on or after 18 Mar 2020 may not be included in this bill

Accommodation site: Westlite (Toh Guan)

Current Month Charges	Meter Serial No.	Block & Unit No	Prev Meter Reading	Curr Meter Reading	Total Usage	Rate (SGD)	Total (SGD)	
<i>Electricity Services</i>	LA4710338	Blk 28, #15-03	1,830	2,139	309kWh	0.2424	\$ 74.90	
For period: 19/02/2020 - 18/03/2020 (Actual reading taken on 18/03/2020)								
Total Charges							\$	74.90
Goods and Service Tax							7%	\$ 5.24
Total Current Charges Inclusive of GST							\$	80.14

30 MAR 2020

This is a computer generated invoice. No signature is required.

BY:

For payment via GIRO - Deduction will be made from your bank account on 4th of each month. If the deduction date falls on non-working day, the deduction will be made on the next working day.
 For any enquiries, pls call (65) 6316 3018 Fax 6316 3020


With effect from 01/01/2020, electricity tariff is \$0.2424 cents/kWh.

Please make full payment by the due date to avoid the 1% Late Payment Charge.

This bill serves as a tax invoice for the collection of electricity charges for WLC Facilities Services Pte Ltd.

The amount for GST shown on the bill is calculated based on the sum of the GST charged for each individual item.

Bar Graph for Past Consumption



***Consumption based on estimated reading**